



GEZE IQ LOCKS  
SELF-LOCKING PANIC LOCKS



## CONTENTS

Safety without compromise with GEZE IQ locks	4
GEZE IQ locks overview table	4
<b>Self-locking motor lock</b>	
GEZE IQ lock AUT	5
GEZE IQ lock EL / GEZE IQ lock EL DL	6
<b>Self-locking electromechanical lever lock</b>	
GEZE IQ lock EM / GEZE IQ lock EM DL	8
<b>Self-locking mechanical contact lock</b>	
GEZE IQ lock C / GEZE IQ lock C DL	10
<b>Self-locking mechanical lock</b>	
GEZE IQ lock M / GEZE IQ lock M DL	12

## Safety without compromise with GEZE IQ locks

In an emergency, it is necessary to leave a building within seconds, particularly when people are in danger. On the other hand, sensitive areas have to be protected from unauthorised entry. Self-locking panic locks provide uncompromising safety for both people and property. GEZE has developed ideal solutions for individual security requirements with the IQ lock collection and not only on emergency exit systems thanks to the intelligent lock!

### Proven safety

Strict standards and guidelines specify the requirements for locks on escape and rescue routes. In an emergency, everyone must be able to rely on tested and certified safety. For this reason, GEZE IQ locks are tested in compliance with the standards DIN EN 179, 1125, 12209, 1634-1 and VdS applicable for locks. At the same time, the Ü symbol (compliance symbol) assures constant monitoring and control and ensures consistently high quality. The GEZE panic bar, which is certified in accordance with DIN EN 1125 together with the IQ locks, allows emergency exits to be opened easily.

### Unique technology

The innovative cross-latch technology in the IQ locks prevents the bolt from jamming even under preload. The sturdy yet precise functioning mechanism allows every single person to leave the building safely at any time. With the unique technology of the IQ lock EL DL, GEZE now provides the solution for 2-leaf full panic doors. With the self-locking panic lock „IQ lock AUT“, GEZE is offering yet another milestone in innovative lock technology. The building technology specialist was the first provider to motorise the passive leaf on 2-leaf doors. Access for all, regulated access control or emergency exit routes in case of danger with reliable smoke and heat extraction (RWA). IQ lock AUT offers a suitable solution for every case.

### Integrated security in the GEZE SecuLogic system

A system is more than just a sum of its components. GEZE integrates its products in system solutions for doors on emergency exit systems. The IQ locks can be integrated seamlessly into the GEZE SecuLogic building system and supplement emergency exit systems (RWS) and access control. The advantages of the jam-free bolt of the IQ lock EL also apply in conjunction with GEZE swing door drives. This mean maximum functional safety for the door. GEZE even has an intelligent solution to offer in combination with RWA air supply systems.

With the IQ lock family, GEZE provides prime solutions for all individual safety and security requirements, not only on emergency exit systems.

## GEZE IQ locks overview table

Characteristics	1-leaf				2-leaf				
	IQ lock EL	IQ lock EM	IQ lock C	IQ lock M	IQ lock AUT	IQ lock EL DL	IQ lock EM DL	IQ lock C DL	IQ lock M DL
Motor-driven unlocking	•				GF, SF	GF			
Mechanical self-locking	•	•	•	•	GF, SF	GF, SF	GF, SF	GF, SF	GF, SF
Panic function	•	•	•	•	VP	VP	VP	VP	VP
Divided cross latch (3 mm gap between latch and bolt prevents forcing)	•	•	•	•	GF	GF	GF	GF	GF
Electrical timeout function	•				GF	GF			
3 operating modes (secured by day/ permanently open/night)	•				GF	GF			
Outside handle, can be electrically engaged		•					GF		
Feedback contacts for lock states	•	•	•		GF, SF	GF	GF	GF	
Optional sabotage monitoring or cylinder contact	•	•	•		GF	GF	GF	GF	
Suitable for fire protection doors	• <sup>1)</sup>	•	•	•	• <sup>2)</sup>	• <sup>1)</sup>	•	•	•

• = Yes

GF = Active leaf    SF = Passive leaf    VP = Full panic

1) With motor lock control unit MST 210

2) In connection with an MST 210 motor lock control, an emergency power buffer (on site) and an IO 420

## GEZE IQ lock AUT

### System solution for double-leaf full panic doors

The GEZE motor lock IQ lock AUT offers motor-driven unlocking of active and passive leaves and is thus unique on the market. The IQ lock AUT system is based on the IQ lock EL DL and therefore has the tried-and-trusted GEZE cross-latch design and the associated, entirely jam-free retraction and projection of the bolt. The motor-driven unlocking of the passive leaf is possible by means of the rod drive IQ AUT which is integrated above the strike box DL in the door leaf. The active leaf is unlocked by an electric motor in less than one second and the passive leaf in approximately 1.5 seconds.

A high degree of functionality is a basic requirement for flexible design and use options. The IQ lock AUT therefore offers three operating modes for the active leaf (night, secured by day with door opening function, permanently unlocked) and two operating modes for the passive leaf (locked and permanently unlocked).



On the left: motor lock IQ lock EL DL, centre: strike box DL, on the right: bar drive IQ AUT

#### Area of application

- Doors along emergency exit routes
- 2-leaf full panic function with door leaves automated on both sides
- Fire protection doors (in connection with an emergency power buffer (on site) and activation via IO 420)
- Emergency exits
- Access control / emergency exit systems
- Use with GEZE automatic swing door systems
- RWA fresh air

Product features	IQ lock AUT
DIN direction	left/right
Locking points	2
Temperature range	-20 – 60 °C
Panic function / mechanical self-locking	•
Feedback contacts for lock states	•
Operating voltage	24 V
Activation	external contact
Current consumption	60 mA at 24 V; max. 1.5 A at 24 V
Length of connection cable between lock and control (max.)	10 m

• = YES

#### Supplied by GEZE (set)

GEZE IQ lock AUT set for standard lock dimensions 9235 and 7265	Active leaf side: motor lock for 2-leaf doors with face plate, motor lock control unit, control unit/lock power supply cable, reed-contact set, open cable ducts Passive leaf side: strike box, standard face plate strike box, IQ AUT rod drive, IQ AUT standard face plate, IQ AUT driving rod, corresponding screw pack, backset adapter (with 9235), power supply cable, open cable ducts, rod lock below, round tube above (1,500 mm), planet rod guide, bottom closing recess, lintel strike plate for round tube above, latch above
---	---

#### Supplementary products

GEZE panic bar – horizontal activating bar made of stainless steel for every application area, certified in accordance with DIN EN 1125

*Please note: In addition to the GEZE panic bar, other fittings from reputable manufacturers are also tested and certified with GEZE IQ locks. Only fittings listed in the certification may be used with GEZE IQ locks as panic and emergency exit locks.*

## GEZE IQ lock EL

### The motor lock for single-leaf doors

The outstanding features of the electronic motor lock IQ lock EL are its motorised unlocking in less than one second and complete monitoring of the door due to integrated contacts. The GEZE cross latch design and the associated, absolutely jam-free retraction and projection of the bolt reduces the load on the electromechanical components. An advantage that especially predestines the IQ lock EL for combination with swing door drives.



#### Supplied by GEZE (set)

GEZE IQ lock EL set	Motor lock with face plate, strike plate, motor lock control, control/lock power supply cable, reed-contact set, open cable ducts
---------------------	---

## GEZE IQ lock EL DL

### The motor lock for double-leaf doors

The motor lock for 2-leaf doors permits the use of the entire emergency exit route. After passing of the door, the self-locking mechanism guarantees that the door is locked again in line with insurance requirements.

The motor lock can thus be monitored and controlled at all times. Free passing of the door in the direction of emergency exit is guaranteed at all times. The IQ lock EL DL for the active leaf has the same functions and advantages as the IQ lock EL.



#### Supplied by GEZE (set)

GEZE IQ lock EL DL set	Active leaf side: motor lock for 2-leaf doors with face plate, motor lock control, control/lock power supply cable, reed-contact set, open cable ducts Passive leaf side: strike box, flanged face plate, rod lock below, round tube above (1,500 mm), planet rod guide, bottom closing recess, lintel strike plate for round tube above, latch above
------------------------	--

## Area of application



- Doors along emergency exit routes
- Fire protection doors
- Emergency exits
- Access control / emergency exit systems
- Use with GEZE automatic swing door systems
- RWA fresh air

Product features	IQ lock EL / IQ lock EL DL
DIN direction	left/right
Temperature range	-10 – 50 °C
Motor-driven unlocking	< 1 s
Panic function / mechanical self-locking	•
Divided cross latch (3 mm gap between latch and bolt)	•
Electrical timeout function	•
Three operating modes (secured by day / permanently unlocked / night)	•
Feedback contacts for lock states	•
Optional sabotage monitoring or cylinder contact	•
Operating voltage	12 V, 24 V
Current consumption	80 mA at 24 V / 250 mA at 24 V for a short time, 160 mA at 12 V / 500 mA at 12 V for a short time
Contact rating	30 V / 500 mA
Resistant to forcing	10,000 N
Length of connection cable between lock and control (max.)	10 m

• = YES

## Supplementary products

GEZE panic bar – horizontal activating bar made of stainless steel for every application area, certified in accordance with DIN EN 1125

*Please note: In addition to the GEZE panic bar, other fittings from reputable manufacturers are also tested and certified with GEZE IQ locks. Only fittings listed in the certification may be used with GEZE IQ locks as panic and emergency exit locks.*

## GEZE IQ lock EM

### The electromechanical lever lock for single-leaf doors

The electromechanical lever lock IQ lock EM is ideally suited for combination with access control systems. While the panic function exists in the direction of emergency exit the outside handle is decoupled from the lock mechanism. An electrical signal emitted by an access control system enables the outside handle to be coupled for a specific period of time or permanently, therefore allowing the door to be opened against the emergency exit direction. Just like with the IQ lock EL, the IQ lock EM can also evaluate the cylinder, handle follower, bolt and auxiliary latch contacts and use them as potential-free status inputs.



#### Supplied by GEZE (set)

GEZE IQ lock EM set	Lever lock with face plate, strike plate, control/lock power supply cable, open cable duct
---------------------	--

## GEZE IQ lock EM DL

### The electromechanical lever lock for double-leaf doors

The electromechanical lever lock for 2-leaf doors is suitable for use on 2-leaf full panic doors and in combination with GEZE access control systems.

The IQ lock EM DL for the active leaf has the same functions and advantages as the IQ lock EM.



#### Supplied by GEZE (set)

GEZE IQ lock EM DL set	Active leaf side: lever lock for 2-leaf doors with face plate, control/lock power supply cable, open cable duct Passive leaf side: strike box, flanged face plate, rod lock below, round tube above (1,500 mm), planet rod guide, bottom closing recess, lintel strike plate for round tube above (1,500 mm), latch above
------------------------	--



## Area of application



- Doors along escape and rescue routes
- Fire protection doors
- Emergency exits
- Access control / emergency exit systems

Product features	IQ lock EM / IQ lock EM DL
DIN direction	left/right
Temperature range	-10 – 50 °C
Panic function / mechanical self-locking	•
Divided cross latch (3 mm gap between latch and bolt)	•
Outside handle, can be electrically coupled	•
Feedback contacts for lock states	•
Optional sabotage monitoring or cylinder contact	•
Operating voltage	12 V, 24 V, 48 V
Current consumption	350 mA at 12 V, 210 mA at 24 V, 105 mA at 48 V
Contact rating	30 V / 500 mA
Resistant to forcing	10,000 N
Length of connection cable between lock and control (max.)	10 m

• = YES

## Supplementary products

GEZE panic bar – horizontal activating bar made of stainless steel for every application area, certified in accordance with DIN EN 1125

*Please note: In addition to the GEZE panic bar, other fittings from reputable manufacturers are also tested and certified with GEZE IQ locks. Only fittings listed in the certification may be used with GEZE IQ locks as panic and emergency exit locks.*

## GEZE IQ lock C

### The mechanical contact lock for single-leaf doors

The mechanical contact lock IQ lock C is ideally suited for activating emergency exit system secured escape doors with closure from the outside, meaning an additional key switch is not necessary. The IQ lock C combines the features of a mechanical panic lock and a lever lock. In terms of functionality, it is a mechanical panic lock with a door handle on the inside and a door knob on the outside. Evaluation via potential-free contacts and forwarding to a monitoring system takes place via cylinder, handle follower, bolt and auxiliary latch contacts. An integrated cylinder contact makes a one box solution possible for emergency exit systems.



The lock finish required as well as accessories such as strike plates can be selected during the configuration process.

## GEZE IQ lock C DL

### The mechanical contact lock for double-leaf doors

The mechanical contact lock for 2-leaf doors is ideally suited for activating emergency exit system secured escape doors with an outward closing process, meaning an additional key switch is not required.

The IQ lock C DL for the active leaf has the same functions and advantages as the IQ lock C.



The type of lock required as well as accessories such as strike plates, strike boxes or locking bolts, can be selected during the configuration process.

## Area of application



- Doors along escape and rescue routes
- Fire protection doors
- Emergency exits
- Emergency exit system

Product features	IQ lock C
DIN direction	left/right
Temperature range	-10 – 50 °C
Panic function / mechanical self-locking	•
Divided cross latch (3 mm gap between latch and bolt)	•
Feedback contacts for lock states	•
Optional sabotage monitoring or cylinder contact	•
Contact rating	30 V / 500 mA
Resistant to forcing	10,000 N
Length of connection cable between lock and control (max.)	10 m

• = YES

## Supplementary products

GEZE panic bar – horizontal activating bar made of stainless steel for every application area, certified in accordance with DIN EN 1125

*Please note: In addition to the GEZE panic bar, other fittings from reputable manufacturers are also tested and certified with GEZE IQ locks. Only fittings listed in the certification may be used with GEZE IQ locks as panic and emergency exit locks.*

## GEZE IQ lock M

### The mechanical lock for single-leaf doors

The mechanical IQ lock M reliably prevents any collision between cam and nightlatch function when opening the door and impresses with well thought-out construction, the small backset and compact dimensions of the lockcase.



The lock finish required as well as accessories such as strike plates can be selected during the configuration process.

## GEZE IQ lock M DL

### The mechanical lock for double-leaf doors

The mechanical lock IQ lock M DL is a simple and reliable panic lock for securing 2-leaf full panic doors. The IQ lock M DL for the active leaf has the same functions and advantages as the IQ lock M.



The type of lock required as well as accessories such as strike plates, strike boxes or locking bolts can be selected during the configuration process.

## Area of application



- Doors along emergency exit routes
- Fire protection doors
- Emergency exits
- Use with GEZE door technology products

Product features	IQ lock M
DIN direction	left/right
Temperature range	-10 – 50 °C
Panic function / mechanical self-locking	•
Divided cross latch (3 mm gap between latch and bolt)	•
Resistant to forcing	10000 N

• = YES

## Supplementary products

GEZE panic bar – horizontal activating bar made of stainless steel for every application area, certified in accordance with DIN EN 1125

*Please note: In addition to the GEZE panic bar, other fittings from reputable manufacturers are also tested and certified with GEZE IQ locks. Only fittings listed in the certification may be used with GEZE IQ locks as panic and emergency exit locks.*

# POTENTIAL APPLICATIONS OF GEZE PRODUCTS

You will find more product information in the relevant brochures, see ID numbers.

<b>Door technology</b>	
<b>01</b>	Overhead door closers ID 091593, ID 091594
<b>02</b>	Hold-open systems ID 091593, ID 091594
<b>03</b>	Integrated door closers ID 091609
<b>04</b>	Floor springs and all-glass fittings ID 091607
<b>05</b>	Sliding fitting systems and linear guides ID 123605, ID 000586
<b>Automatic door systems</b>	
<b>06</b>	Swing doors ID 144785
<b>07</b>	Sliding, telescopic and folding doors ID 143639
<b>08</b>	Curved sliding doors ID 135772
<b>09</b>	Revolving doors ID 132050
<b>10</b>	Activation devices and sensors ID 142655
<b>Smoke and heat extraction and window technology</b>	
<b>11</b>	Fanlight opening systems ID 127787
<b>12</b>	Electric opening and locking systems ID 127785, ID 127789
<b>13</b>	Electrical spindle and linear drives ID 127785, ID 127789
<b>14</b>	Electric chain drives ID 127785, ID 127789
<b>15</b>	Smoke and heat extraction systems ID 127785, ID 139075
<b>Safety technology</b>	
<b>16</b>	Emergency exit systems ID 132408
<b>17</b>	Access control systems ID 132158
<b>18</b>	Panic locks ID 132848
<b>19</b>	Electric strikes ID 148666
<b>20</b>	Building management system ID 132408
<b>Glass systems</b>	
<b>21</b>	Manual sliding wall systems (MSW) ID 104377
<b>22</b>	Integrated all-glass systems (IGG) ID 104366



# POTENTIAL APPLICATIONS OF GEZE PRODUCTS




---

## Door technology

---

The functionality, superior performance and reliability of GEZE door closers are impressive. A common design across the range, the ability to use them on all common door leaf widths and weights, and the fact that they can be individually adjusted makes their selection simple. They are continually being improved and enhanced with up-to-date features. For example, the requirements of fire protection and accessibility are fulfilled with a door closer system.

---

## Automatic door systems

---

GEZE automatic door systems open up a huge variety of options in door design. The latest, innovative high-performance drive technology, safety, ease of accessibility and first class universal drive design set them apart. GEZE offers complete solutions for individual requirements.

---

## Smoke and heat extraction and window technology

---

GEZE smoke and heat extraction systems and ventilation technology provide complete systems solutions combining the many requirements of different types of windows. We supply a full range from energy efficient drive systems to natural ventilation and complete solutions for supplying and extracting air, also as certified SHEVs.

---

## Safety technology

---

GEZE safety technology sets the standards where preventative fire protection, access control and anti-theft security in emergency exits are concerned. For each of these objectives GEZE offers tailored solutions, which combine the individual safety requirements in one intelligent system and close doors and windows in case of danger in a coordinated manner.

---

## Building systems

---

In GEZE's Building Management System GEZE door, window and safety products can be integrated in to the security and control systems of the building. A central control and visualisation system monitors various automation components in the building and offers security through many different networking capabilities.

---

## Glass systems

---

GEZE glass systems stand for open and transparent interior design. They can either blend discreetly into the architecture of the building or stand out as an accentuated feature. GEZE offers a wide variety of technologies for functional, reliable and aesthetic sliding wall or sliding door systems providing security with lots of design scope.

**GEZE GmbH**  
**P.O. Box 1363**  
**71226 Leonberg**  
**Germany**

**GEZE GmbH**  
**Reinhold-Vöster-Straße 21-29**  
**71229 Leonberg**  
**Germany**  
**Telefon +49 7152 203 0**  
**Telefax +49 7152 203 310**  
**www.geze.com**

**Germany**  
**GEZE GmbH**  
 Niederlassung Süd-West  
 Breitwiesenstraße 8  
 71229 Leonberg  
 Tel. +49 7152 203 594  
 Fax +49 7152 203 438  
 leonberg.de@geze.com

**GEZE GmbH**  
 Niederlassung Süd-Ost  
 Parking 17  
 85748 Garching bei München  
 Tel. +49 7152 203 6440  
 Fax +49 7152 203 77050  
 muenchen.de@geze.com

**GEZE GmbH**  
 Niederlassung Ost  
 Albert-Einstein-Ring 5  
 14532 Kleinmachnow bei Berlin  
 Tel. +49 7152 203 6840  
 Fax +49 7152 203 76849  
 berlin.de@geze.com

**GEZE GmbH**  
 Niederlassung Mitte/Luxemburg  
 Siemensstraße 14  
 63263 Neu-Isenburg  
 Tel. +49 7152 203 6888  
 Fax +49 7152 203 6891  
 frankfurt.de@geze.com

**GEZE GmbH**  
 Niederlassung West  
 Heltorfer Straße 12  
 40472 Düsseldorf  
 Tel. +49 7152 203 6770  
 Fax +49 7152 203 76770  
 duesseldorf.de@geze.com

**GEZE GmbH**  
 Niederlassung Nord  
 Albert-Schweitzer-Ring 24-26 (3. OG)  
 22045 Hamburg  
 Tel. +49 7152 203 6600  
 Fax +49 7152 203 76608  
 hamburg.de@geze.com

**GEZE Service GmbH**  
 Niederlassung Süd-West  
 Reinhold-Vöster-Straße 25  
 71229 Leonberg  
 Tel. +49 1802 923392  
 Fax +49 7152 9233 359  
 service-leonberg.de@geze.com

**GEZE Service GmbH**  
 Niederlassung Süd  
 Parking 17  
 85748 Garching bei München  
 Tel. +49 1802 923392  
 Fax +49 7152 9233 859  
 service-muenchen.de@geze.com

**GEZE Service GmbH**  
 Niederlassung Mitte/Luxemburg  
 Siemensstraße 14  
 63263 Neu-Isenburg  
 Tel. +49 1802 923392  
 Fax +49 7152 9233 659  
 service-frankfurt.de@geze.com

**GEZE Service GmbH**  
 Niederlassung West  
 Heltorfer Straße 12  
 40472 Düsseldorf  
 Tel. +49 1802 923392  
 Fax +49 7152 9233 559  
 service-duesseldorf.de@geze.com

**GEZE Service GmbH**  
 Niederlassung Ost  
 Albert-Einstein-Ring 5  
 14532 Kleinmachnow bei Berlin  
 Tel. +49 1802 923392  
 Fax +49 7152 9233 759  
 service-berlin.de@geze.com

**GEZE Service GmbH**  
 Niederlassung Nord  
 Albert-Schweitzer-Ring 24-26 (3. OG)  
 22045 Hamburg  
 Tel. +49 1802 923392  
 Fax +49 7152 9233 459  
 service-hamburg.de@geze.com

**Austria**  
**GEZE Austria**  
 Wiener Bundesstrasse 85  
 A-5300 Hallwang  
 Tel: +43 6225 87180  
 Fax: +43 6225 87180 299  
 austria.at@geze.com

**Baltic States –**  
**Lithuania / Latvia / Estonia**  
 Tel. +371 678960 35  
 baltic-states@geze.com

**Benelux**  
**GEZE Benelux B.V.**  
 Industrieterrein Kapelbeemd  
 Steenoven 36  
 5626 DK Eindhoven  
 Tel. +31 4026290 80  
 Fax +31 4026290 85  
 benelux.nl@geze.com

**Bulgaria**  
**GEZE Bulgaria - Trade**  
 Representative Office  
 Nickolay Haitov 34 str., fl. 1  
 1172 Sofia  
 Tel. +359 247043 73  
 Fax +359 247062 62  
 office-bulgaria@geze.com

**China**  
**GEZE Industries (Tianjin) Co., Ltd.**  
 Shuangchenzhong Road  
 Beichen Economic Development  
 Area (BEDA)  
 Tianjin 300400, P.R. China  
 Tel. +86 22 26973995  
 Fax +86 22 26972702  
 chinasales@geze.com.cn

**GEZE Industries (Tianjin) Co., Ltd.**  
 Branch Office Shanghai  
 Jia Little Exhibition Center  
 Room C 2-102  
 Shenzhuan Rd. 6000  
 201619 Shanghai, P.R. China  
 Tel. +86 21 52340960  
 Fax +86 21 64472007  
 chinasales@geze.com.cn

**GEZE Industries (Tianjin) Co., Ltd.**  
 Branch Office Guangzhou  
 Room 17 C 3  
 Everbright Bank Building, No.689  
 Tian He Bei Road  
 510630 Guangzhou, P.R. China  
 Tel. +86 20 38731842  
 Fax +86 20 38731834  
 chinasales@geze.com.cn

**GEZE Industries (Tianjin) Co., Ltd**  
 Branch Office Beijing  
 Room 04-05, 7th Floor  
 Red Sandalwood Plaza  
 No. 27 Jianguo Road  
 Chaoyang District  
 100024 Beijing, P.R.China  
 Tel. +86 10 85756009  
 Fax +86 10 85758079  
 chinasales@geze.com.cn

**France**  
**GEZE France S.A.R.L.**  
 ZAC de l'Orme Rond  
 RN 19  
 77170 Servon  
 Tel. +33 1 606260 70  
 Fax +33 1 606260 71  
 france.fr@geze.com

**Hungary**  
**GEZE Hungary Kft.**  
 Hungary-2051 Biatorbágy  
 Vendel Park  
 Huber u. 1.  
 Tel. +36 23532 735  
 Fax +36 23532 738  
 office-hungary@geze.com

**Iberia**  
**GEZE Iberia S.R.L.**  
 C/ Andorra 24  
 08830 Sant Boi de Llobregat  
 (Barcelona)  
 Tel. +34 902194 036  
 Fax +34 902194 035  
 info@geze.es

**India**  
**GEZE India Private Ltd.**  
 MF 2 & 3, Guindy Industrial Estate  
 Ekkattuthangal  
 Chennai 600 097  
 Tamilnadu  
 Tel. +91 44 406169 00  
 Fax +91 44 406169 01  
 office-india@geze.com

**Italy**  
**GEZE Italia S.r.l**  
 Sede di Vimercate  
 Via Fiorbellina 20  
 20871 Vimercate (MB)  
 Tel. +39 0399530401  
 Fax+39 039 9530459/419  
 italia.it@geze.com

Sede di Roma  
 Via Lucrezia Romana, 91  
 00178 Roma  
 Tel. +39 039 9530401  
 Fax +39 039 9530449  
 italia.it@geze.com

**Poland**  
**GEZE Polska Sp. z o.o.**  
 ul. Marywilska 24  
 03-228 Warszawa  
 Tel. +48 224 404 440  
 Fax +48 224 404 400  
 geze.pl@geze.com

**Romania**  
**GEZE Romania S.R.L.**  
 IRIDE Business Park,  
 Str. Dimitrie Pompeiu nr. 9-9a,  
 Building 10, Level 2, Sector 2,  
 020335 Bucharest  
 Tel.: +40 212507 750  
 Fax: +40 316201 258  
 office-romania@geze.com

**Russia**  
**OOO GEZE RUS**  
 Letnikovskaya str. 10/2  
 Floor 6, room VII  
 115114 Moscow  
 Tel: +7 495 741 40 61  
 office-russia@geze.com

**Scandinavia – Sweden**  
**GEZE Scandinavia AB**  
 Mallslingan 10  
 Box 7060  
 18711 Täby, Sweden  
 Tel. +46 87323 400  
 Fax +46 87323 499  
 sverige.se@geze.com

**Scandinavia – Norway**  
**GEZE Scandinavia AB avd. Norge**  
 Industriveien 34 B  
 2073 Dal  
 Tel. +47 63957 200  
 Fax +47 63957 173  
 norge.se@geze.com

**Scandinavia – Denmark**  
**GEZE Danmark**  
 Branch office of GEZE Scandinavia AB  
 Mårkærvej 13 J-K  
 2630 Taastrup  
 Tel. +45 463233 24  
 Fax +45 463233 26  
 danmark.se@geze.com

**Singapore**  
**GEZE (Asia Pacific) Pte. Ltd.**  
 21 Bukit Batok Crescent  
 #23-75 Wcega Tower  
 Singapore 658065  
 Tel: +65 6846 1338  
 Fax: +65 6846 9353  
 gezesea@geze.com.sg

**South Africa**  
**Geze South Africa (Pty) Ltd.**  
 GEZE, Building 3, 1019 Morkels Close  
 Midrand 1685  
 Tel: +87 94337 88  
 Fax: +86 66137 52  
 info@gezesa.co.za

**Switzerland**  
**GEZE Schweiz AG**  
 Zeliglimatte 1A  
 6260 Reiden  
 Tel. +41 62 28554 00  
 Fax +41 62 28554 01  
 schweiz.ch@geze.com

**Turkey**  
**GEZE Kapı ve Pencere Sistemleri**  
 San. ve Tic. Ltd. Sti.  
 İstanbul Anadolu Yakası Organize  
 Sanayi Bölgesi  
 Gazi Bulvarı Caddesi 8.Sokak No:8  
 Tuzla-İstanbul  
 Tel. +90 216 45543 15  
 Fax +90 216 45582 15  
 office-turkey@geze.com

**Ukraine**  
**LLC GEZE Ukraine**  
 17 Viskozna street,  
 Building 93-B, Office 12  
 02660 Kyiv  
 Tel./Fax +38 445012225  
 office-ukraine@geze.com

**United Arab Emirates/GCC**  
**GEZE Middle East**  
 P.O. Box 17903  
 Jebel Ali Free Zone  
 Dubai  
 Tel. +971 48833 112  
 Fax +971 48833 240  
 gezeme@geze.com

**United Kingdom**  
**GEZE UK Ltd.**  
 Blenheim Way  
 Fradley Park  
 Lichfield  
 Staffordshire WS13 8SY  
 Tel. +44 15434430 00  
 Fax +44 15434430 01  
 info.uk@geze.com

GEZE REPRESENTATIVE